

# EXEMPT LS VIAL DISPOSAL LOG

## 3H and 14C

### Liquid Scintillation Vials Only

*AFTER REMOVAL OF ALL RADIOACTIVE LABELING, VIALS CONTAINING BIODEGRADABLE LIQUID SCINTILLANTS WITH 111,000 dpm per g of media or less of H-3 and C-14 ONLY MAY BE PUT IN "COLD TRASH" NORMAL TRASH (OR IN MEDICAL WASTE). LOG THE DATA OF EACH DISPOSAL BELOW. RADIATION SAFETY WILL RETAIN THIS LOG.*

ROOM #: \_\_\_\_\_ AUTHORIZED USER: \_\_\_\_\_

Date	Circle Isotope	Total Activity (dpm)	Number of Vials	Size of Vials	Person Making Disposal Please print name.
	H-3 / C-14				
	H-3 / C-14				
	H-3 / C-14				
	H-3 / C-14				
	H-3 / C-14				
	H-3 / C-14				
	H-3 / C-14				
	H-3 / C-14				
	H-3 / C-14				
	H-3 / C-14				
	H-3 / C-14				
	H-3 / C-14				
	H-3 / C-14				
	H-3 / C-14				
	H-3 / C-14				
	H-3 / C-14				
	H-3 / C-14				
	H-3 / C-14				
	H-3 / C-14				
	H-3 / C-14				
	H-3 / C-14				

Date Sheet Collected: \_\_\_\_\_ Approved by: \_\_\_\_\_ Date: \_\_\_\_\_