

## Alan Greenberg: Selected Publications

- Forehand R, Armistead L, Long N, Wyckoff SC, Kotchick BA, Whitaker D, Shaffer A, **Greenberg AE**, Murry V, Jackson LC, Kelly A, McNair L, Dittus PJ, Miller KS. Efficacy of a family-based, youth sexual risk prevention program for parents of African-American pre-adolescents. A randomized controlled design. *Archives of Pediatrics & Adolescent Medicine* 2007; in press.
- Garfein RS, Bailey S, Golub ET, **Greenberg AE**, Hagan H, Hanson DL, Hudson S, Kapadia F, Kerndt P, Latka M, Ouellet L, Purcell DW, Strathdee SA, Thiede H, Williams IT for the DUIT Study Team. Reduction in injection risk behaviors among young injection drug users using a peer-education intervention. *AIDS* 2007; in press.
- Bartholow BN, Goli V, Ackers M, McLellan E, Gurwith M, Durham M, **Greenberg AE**. Demographic and behavioral contextual risk groups among men who have sex with men participating in a Phase III HIV vaccine efficacy trial: implications for HIV prevention and behavioral/biomedical intervention trials. *JAIDS* 2006, 43:594-602.
- Fitzpatrick LK, Sutton M, **Greenberg AE**. Towards eliminating health disparities in HIV/AIDS – the importance of the minority investigator in addressing scientific gaps in Black and Latino communities. *Journal of the National Medical Association* 2006; 98:1906-1911.
- Forna FM, Fitzpatrick L, Adimora AA, McLellan-Lemal E, Leone P, Brooks JT, Marks G, **Greenberg AE**. A case-control study of factors associated with HIV infection among black women. *Journal of the National Medical Association* 2006; 98:1798-1804.
- Buchacz K, Brooks JT, Tong T, Moorman AC, Baker RK, Holmberg SD, **Greenberg AE** and the HIV Outpatient Study (HOPS) Investigators. Evaluation of hypophosphatemia in tenofovir disoproxil fumarate (TDF)-exposed and TDF-unexposed HIV-infected outpatients receiving highly active antiretroviral therapy. *HIV Medicine* 2006; 7:451-456.
- Taussig J, Shouse RL, LaMarre M, Fitzpatrick L, McElroy P, Borkowf CB, MacGowan R, Margolis AD, Stratford D, McLellan-Lemal E, Robbins K, Heneine W, **Greenberg AE**, Sullivan P, Henderson Z, Jafa K. HIV transmission among male inmates in a state prison system --- Georgia, 1992 --2005. *MMWR* 2006; 55:421-426. (reprinted in *JAMA* 2006; 296:162-164.)
- Subbarao S, Otten R, Ramos A, Kim C, Jackson E, Monsour M, Adams DR, Bashirian S, Johnson J, Soriano V, Rendon A, Hudgens MG, Butera S, Janssen R, Paxton L, **Greenberg AE**, Folks T. Anti-Retroviral Prophylaxis with Oral Tenofovir Disoproxil Fumarate Delayed but did not Prevent Simian Human

Immunodeficiency Virus Infection in Rhesus Macaques Exposed to Multiple Rectal Virus Challenges. *JID* 2006; 194(7):904-911.

- Santibanez SS, Garfein RL, Swartzenruber A, Purcell DW, Paxton LA, **Greenberg AE**. Update and overview of practical epidemiologic aspects of HIV/AIDS among injection drug users in the United States. *Journal of Urban Health* 2006;1-15.
- Buchacz K, **Greenberg AE**, Onorato I, Janssen R. Syphilis epidemics and HIV incidence among men who have sex with men (MSM) in the United States: implications for HIV prevention. *Sex Transm Dis* 2005; 32:S73-79.
- **Greenberg AE**, Tappero JT, Choopanya K et al. CDC international HIV prevention research activities among injection drug users in Thailand and Russia. *Journal of Urban Health* 2005; 82:24-33.
- McConnell MS, Byers RH, Frederick T, Peters VB, Dominguez KL, Sukalac T, **Greenberg AE**, Hsu H-W, Rakusan TA, Ortiz IR, Melville SK, Fowler MG, and the Pediatric Spectrum of Disease Consortium. Trends in antiretroviral therapy use and survival rates for a large cohort of HIV-infected children and adolescents in the United States, 1989-2001. *JAIDS* 2005; 38:488-494.
- Gardner LI, Metsch LR, Anderson-Mahoney P, Loughlin AM, del Rio C, Strathdee S, Sansom SL, Siegal HA, **Greenberg AE**, Holmberg SD and the Antiretroviral Treatment and Access Study (ARTAS) Study Group. Efficacy of a brief case management intervention to link recently diagnosed HIV-infected persons to care. *AIDS* 2005; 19:423-431.
- Forna F, Leone P, Adimora A, Foust E, Williams D, Buie M, Peebles J, Fitzpatrick L, McLellan-Lemal E, Chege W, Brooks J, Marks G, Knox S, Williams M, **Greenberg AE**. HIV transmission among black women – North Carolina 2004. *MMWR* 2005; 54:89-94.
- Smith DK, Grohskopf LA, Black RJ, Auerbach JD, Veronese F, Struble KA, Cheever L, Johnson M, Paxton LA, Onorato IM, **Greenberg AE**. Antiretroviral postexposure prophylaxis after sexual, injection-drug use, or other non-occupational exposure to HIV in the United States. Recommendations from the U.S. Department of Health and Human Services. *MMWR* 2005; 54(RR02):1-20.
- Kalou M, Sassan-Morokro M, Abouya L, Bile C, Maurice C, Maran M, Tossou O, Roels T, **Greenberg AE**, Wiktor SZ, Nkengasong JN. Changes in HIV RNA viral load, CD4+ T-cell counts, and levels of immune activation markers associated with anti-tuberculosis therapy and cotrimoxazole prophylaxis among HIV-infected tuberculosis patients, Abidjan, Cote d'Ivoire. *J Med Virology*

2005; 75:202-208.

- [Trends in rates of myocardial infarction among patients with HIV.](#)

Holmberg SD, Moorman AC, Greenberg AE. Trends in rates of myocardial infarction among patients with HIV. N Engl J Med 2004;350:730-2.

- [Delivery of HIV prevention counseling by physicians at HIV medical care settings in four U.S. cities.](#)

Metsch LR, Pereyra M, del Rio C, Gardner LI, Duffus WA, Dickinson G, et al. Delivery of HIV prevention counseling by physicians at HIV medical care settings in four U.S. cities. Am J Public Health 2004;94:1186-92.

- [Effect of an HIV counseling and testing program on AIDS-related knowledge and practices in tuberculosis clinics in Abidjan, Cote d'Ivoire.](#)

Wiktor SZ, Abouya L, Angoran H, McFarland J, Sassan-Morokro M, Tossou O, et al. Effect of an HIV counseling and testing program on AIDS-related knowledge and practices in tuberculosis clinics in Abidjan, Cote d'Ivoire. Int J Tuberc Lung Dis 2004;8(4):445-50.

- [Trends in primary and secondary syphilis and HIV infection in men who have sex with men -- San Francisco and Los Angeles, California, 1998-2002.](#)

Dilley JW, Klausner JD, McFarland W, Kellogg TA, Kohn R, Wong W, et al. Trends in primary and secondary syphilis and HIV infection in men who have sex with men -- San Francisco and Los Angeles, California, 1998-2002. Morbidity & Mortality Weekly Report 2004;53:575-8.

- [HIV transmission among young black college student and non-student men who have sex with men - North Carolina, 2003.](#)

Foust E, O'Dowd JO, Philip S, Gray P, Leone P, Hightow L, et al. HIV transmission among young black college student and non-student men who have sex with men - North Carolina, 2003. Morbidity & Mortality Weekly Report 2004;53:731-4.

- [Survival benefit of initiating antiretroviral therapy in HIV-infected persons in different CD4+ cell strata](#)

Palella FJ Jr, Deloria-Knoll M, Chmiel JS, Moorman AC, Wood KC, Greenberg AE, Holmberg SD, and the HOPS Investigators. Survival benefit of initiating antiretroviral therapy in HIV-infected persons in different CD4+ cell strata. Ann Intern Med 2003;138:620-6.

- [Pregnancy in perinatally-infected adolescents and young adults - Puerto Rico, 2002.](#)  
Zorilla C, Febo I, Ortiz I, Orengo JC, Miranda S, Santiago M, et al. Pregnancy in perinatally-infected adolescents and young adults - Puerto Rico, 2002. Morbidity & Mortality Weekly Report 2003;52:149-51.
- [Postnatal transmission of HIV-1 after a maternal short-course zidovudine peripartum regimen in West Africa.](#)  
Leroy V, Karon JM, Alioum A, Ekpini ER, van de Perre P, Greenberg AE, et al. Postnatal transmission of HIV-1 after a maternal short-course zidovudine peripartum regimen in West Africa. Aids 2003;17(10):1493-501.
- [HIV-1 viral load and other risk factors for mother-to-child transmission of HIV-1 in a breastfeeding population in Cote d'Ivoire.](#)  
Jamieson DJ, Sibailly TS, Sadek R, Roels TH, Ekpini ER, Boni-Ouattara E, et al. HIV-1 viral load and other risk factors for mother-to-child transmission of HIV-1 in a breastfeeding population in Cote d'Ivoire. J Acquir Immune Defic Syndr 2003;34:430-6.
- [Does prior short course nevirapine reduce the effectiveness of subsequent combination treatment with efavirenz?](#)  
Fowler MG, Moorman A, Tong TC, Holmberg SD, Greenberg AE. Does prior short course nevirapine reduce the effectiveness of subsequent combination treatment with efavirenz? J Acquir Immune Defic Syndr 2003;34:348-50.
- [Rates and risk factors for condition-specific hospitalizations in HIV-infected and uninfected women.](#)  
Gardner LI, Klein RS, Szczech LA, Phelps RM, Tashima K, Rompalo AM, et al. Rates and risk factors for condition-specific hospitalizations in HIV-infected and uninfected women. J Acquir Immune Defic Syndr 2003;34:320-30.
- [Increase in condom use and decline in HIV and sexually transmitted diseases among female sex workers in Abidjan, Cote d'Ivoire, 1991-1998.](#)  
Ghys PD, Diallo MO, Ettiegne-Traore V, Kale K, Tawil O, Carael M, et al. Increase in condom use and decline in HIV and sexually transmitted diseases among female sex workers in Abidjan, Cote d'Ivoire, 1991-1998. Aids 2002;16(2):251-8.
- [Role of traditional birth attendants in preventing perinatal transmission of HIV.](#)

Bulterys M, Fowler MG, Shaffer N, Tih PM, Greenberg AE, Karita E, et al. Role of traditional birth attendants in preventing perinatal transmission of HIV. *BMJ* 2002;324:222-5.

- [24-month efficacy of a short-course zidovudine regimen to prevent mother-to-child transmission of HIV-1 in West Africa: A pooled analysis of two randomized clinical trials.](#)

Leroy V, Karon JM, Alioum A, Ekpini ER, Meda N, Greenberg AE, et al., for the West Africa PMTCT Study Group. 24-month efficacy of a short-course zidovudine regimen to prevent mother-to-child transmission of HIV-1 in West Africa: A pooled analysis of two randomized clinical trials. *AIDS* 2002;16:631-4.

- [A review of clinical trials to prevent mother-to-child HIV-1 transmission in Africa and inform rational intervention strategies.](#)

Nolan ML, Greenberg AE, Fowler MG. A review of clinical trials to prevent mother-to-child HIV-1 transmission in Africa and inform rational intervention strategies. *AIDS* 2002;16:1-9.

- [Protease inhibitors and cardiovascular outcomes in patients with HIV-1.](#)

Holmberg SD, Moorman AC, Williamson JM, Tong TC, Ward DJ, Wood KC, et al., and the HIV Outpatient Study (HOPS) Investigators. Protease inhibitors and cardiovascular outcomes in patients with HIV-1. *Lancet* 2002;360:1747-8.

- [Changes in plasma HIV-1 RNA viral load and CD4 cell counts, and lack of zidovudine resistance among pregnant women receiving short-course zidovudine.](#)

Ekpini RA, Nkengasong JN, Sibailly T, Maurice C, Adje C, Monga BB, et al. Changes in plasma HIV-1 RNA viral load and CD4 cell counts, and lack of zidovudine resistance among pregnant women receiving short-course zidovudine. *AIDS* 2002;16:625-30.

- [Generation of a consensus sequence from prevalent and incident HIV-1 infections in West Africa to guide AIDS vaccine development.](#)

Ellenberger DL, Li B, Lupo LD, Owen SM, Nkengasong J, Kadio-Morokro MS, et al. Generation of a consensus sequence from prevalent and incident HIV-1 infections in West Africa to guide AIDS vaccine development. *Virology* 2002;302:155-63

- [Human immunodeficiency virus type 1 \(HIV-1\) plasma virus load and markers of immune activation among HIV-infected female sex workers with sexually transmitted diseases in Abidjan, Cote d'Ivoire.](#)

- Nkengasong JN, Kestens L, Ghys PD, Koblavi-Deme S, Bile C, Kalou M, et al. Human immunodeficiency virus type 1 (HIV-1) plasma virus load and markers of immune activation among HIV-infected female sex workers with sexually transmitted diseases in Abidjan, Cote d'Ivoire. *J Infect Dis* 2001;183(9):1405-8.
- [Possible protective effect of HIV-2 against incident HIV-1 infection: review of available epidemiological and in vitro data](#)
- Greenberg AE. Possible protective effect of HIV-2 against incident HIV-1 infection: review of available epidemiological and in vitro data. *AIDS* 2001;15(17):2319-21.
- [Effect of interventions to control sexually transmitted disease on the incidence of HIV infection in female sex workers.](#)
- Ghys PD, Diallo MO, Ettiegne-Traore V, Satten GA, Anoma CK, Maurice C, et al. Effect of interventions to control sexually transmitted disease on the incidence of HIV infection in female sex workers. *Aids* 2001;15(11):1421-31.
- [Cervicovaginal anti-HIV antibodies in HIV-seronegative female sex workers in Abidjan, Cote d'Ivoire.](#)
- Ghys PD, Belec L, Diallo MO, Ettiegne-Traore V, Becquart P, Maurice C, et al. Cervicovaginal anti-HIV antibodies in HIV-seronegative female sex workers in Abidjan, Cote d'Ivoire. *Aids* 2000;14(16):2603-8.
- [Distribution of HIV-1 subtypes among HIV-seropositive patients in the interior of Cote d'Ivoire.](#)
- Nkengasong JN, Luo CC, Abouya L, Pieniazek D, Maurice C, Sassan-Morokro M, et al. Distribution of HIV-1 subtypes among HIV-seropositive patients in the interior of Cote d'Ivoire. *J Acquir Immune Defic Syndr* 2000;23:430-6.
- [Dual infection with human immunodeficiency virus type 1 and type 2: impact on HIV type 1 viral load and immune activation markers in HIV-seropositive female sex workers in Abidjan, Ivory Coast.](#)
- Nkengasong JN, Kestens L, Ghys PD, Koblavi-Deme S, Otten RA, Bile C, et al. Dual infection with human immunodeficiency virus type 1 and type 2: impact on HIV type 1 viral load and immune activation markers in HIV-seropositive female sex workers in Abidjan, Ivory Coast. *AIDS Res Hum Retroviruses* 2000;16:1371-8.
- [Tuberculin skin testing to assess the occupational risk of mycobacterium tuberculosis infection among health care workers in Abidjan, Cote d'Ivoire.](#)

Kassim S, Zuber P, Wiktor SZ, Diomande FV, Coulibaly IM, Coulibaly D, et al. Tuberculin skin testing to assess the occupational risk of mycobacterium tuberculosis infection among health care workers in Abidjan, Cote d'Ivoire. *Int J Tuberc Lung Dis* 2000;4:321-6.

- [Efficacy of trimethoprim-sulphamethoxazole prophylaxis to decrease morbidity and mortality in HIV-infected patients with tuberculosis in Abidjan, Côte d'Ivoire: a randomized controlled trial.](#)

Wiktor SZ, Sassan-Morokro M, Grant AD, Abouya YL, Karon JM, Maurice C, et al. Efficacy of trimethoprim-sulphamethoxazole prophylaxis to decrease morbidity and mortality in HIV-infected patients with tuberculosis in Abidjan, Côte d'Ivoire: a randomized controlled trial. *Lancet* 1999;353:1469-75.

- [Short course of oral zidovudine to prevent mother-to-child transmission of HIV-1 in Abidjan, Côte d'Ivoire: a randomized trial.](#)

Wiktor SZ, Ekpini ER, Karon JM, Nkengasong J, Maurice C, Sibailly ST, et al. Short course of oral zidovudine to prevent mother-to-child transmission of HIV-1 in Abidjan, Côte d'Ivoire: a randomized trial. *Lancet* 1999;353:781-5.

- [The completeness of AIDS case reporting in New York City.](#)

Greenberg AE, Hindin R, Nicholas A, Bryan E, Thomas PA, and the New York City Department of Health AIDS Surveillance Unit. The completeness of AIDS case reporting in New York City. *J Am Med Assoc* 1993;269:2995-3001.

- [Plasmodium falciparum malaria and perinatally acquired human immunodeficiency virus type I infection in Kinshasa, Zaire. A prospective longitudinal cohort study of 587 children.](#)

Greenberg AE, Nsa W, Ryder RW, Medi M, Nzeza M, Kitadi N, et al. Plasmodium falciparum malaria and perinatally acquired human immunodeficiency virus type I infection in Kinshasa, Zaire. A prospective longitudinal cohort study of 587 children. *N Engl J Med* 1991;325:105-9.